

Entrust Validation Authority

nShield® HSM Integration Guide


13 Nov 2023

Contents

1. Introduction	3
1.1. Requirements	4
1.2. Licensing	4
1.3. Product configurations	4
1.4. Supported features	5
1.5. Supported nShield hardware and software versions	5
1.6. Supported nShield functionality	5
2. Procedures	7
2.1. Download the Entrust software packages and documentation	7
2.2. Install and configure the database	7
2.3. Install and configure a Certificate Authority (CA)	11
2.4. Install and configure the nShield HSM	16
2.5. Set up and configure the Entrust Deployment Manager server	18
2.6. Entrust Validation Authority setup and configuration	19
2.7. Configure Entrust Validation Authority from the web UI	26
2.8. Submit the configuration settings	30
2.9. Entrust Validation Authority Deployment	30
2.10. Entrust Validation Authority Testing	32
2.11. FIPS Level 3 remarks and recommendations	33

1. Introduction

The Entrust Validation Authority (EVA) Server is an Online Certificate Status Protocol (OCSP) server for distribution of certificate revocation information for certificates issued by any certification authority (CA). The EVA Server provides integrity and validity for online transactions by validating, in real-time, digital certificates issued by a CA. The Entrust nShield Hardware Security Module (HSM) integrates with the Entrust Validation Authority server through the nShield PKCS #11 cryptography API to securely generate and store the OCSP response signing keys. To respond to OCSP requests, Entrust Validation Authority connects with different components.



In this architecture:

- Multiple clients send OCSP requests to the OCSP Responder service of Entrust Validation Authority.
- Multiple Certification Authorities (CAs) issue certificates.
- A Hardware Security Module (HSMs) managing one or several OCSP signing keys.
- One database stores the status of the certificates. For each CA, Entrust Validation Authority obtains the certificate status from either:
 - An Entrust CA Gateway instance.
 - A full or "combined" CRL published in an LDAP or HTTP server. Entrust Validation Authority does not support partitioned CRLs.

In this guide, the CA GW was not used and instead Entrust Validation Authority was configured using a Certificate Revocation List (CRL) published on a HTTP server.

1.1. Requirements

The Entrust Validation Authority requires the following software:

- Entrust Deployment Manager 2.0
- Database
- Entrust CA Gateway or a CRL Server hosted on a HTTP server.
- Serial Number server (Not used in this integration)
- Certification Authority (CA)

Reference the *Entrust Validation Authority Deployment Guide* for product specific requirements.

Before starting this integration, review:

- The documentation for the nShield Connect HSM.
- The documentation and configuration process for Entrust Deployment Manager.
- The documentation and configuration process for Entrust Validation Authority.

Before using nShield products:

- When creating a Security World, identify custodians of the administrator card set (ACS).
- Obtain enough blank smart cards to create the ACS.
- Define the Security World parameters. For details of the security implications of the choices, see the *nShield Security Manual*.



Entrust recommends that you allow only unprivileged connections unless you are performing administrative tasks.

1.2. Licensing

Configuring Entrust Validation Authority requires importing a license text file into the Entrust Deployment Manager server administration web UI. Obtain the license file to configure Entrust Validation Authority in the Entrust Deployment Manager web UI. Also reference the *Entrust Validation Authority Deployment Guide* for product specific license requirements.

1.3. Product configurations

Entrust tested nShield HSM integration with Entrust Validation Authority in the following configurations:

Product	Version
Entrust Validation Authority	2.3.0
Entrust Deployment Management	2.0.0
Postgres Database	12
easy-rsa CA	3.0.6-1
HSM Hardware	Connect XC

1.4. Supported features

Entrust tested nShield HSM integration with the following features:

Softcard	Module	ocs	nSaaS
Yes	Yes	Yes	Not Tested

1.5. Supported nShield hardware and software versions

Entrust tested with the following nShield hardware and software versions:

nShield Hardware	nShield HSM Firmware	FIPS
Connect XC	12.50.11	140 Level 2
Connect XC	12.50.11	140 Level 3

1.6. Supported nShield functionality

Feature	Support
Key Generation	Yes
Key Management	Yes
FIPS 140 Level 3 mode support	Yes
Operator Card Set	Yes

Feature	Support
Softcards	Yes
Module-only keys	Yes
Load Sharing	Yes

2. Procedures

2.1. Download the Entrust software packages and documentation

Download the software files needed for the setup and installation.

- 1. Log in to https://trustedcare.entrust.com.
- 2. Go to **PRODUCTS** > **PKI** > **Entrust Validation Authority** and select the version that you want to download.

The Entrust Validation Authority Page appears.

- 3. From **Software Downloads**, download the Entrust Validation Authority files:
 - The evactl command-line tool.
 - The Entrust Validation Authority Installer (the solution file with the sln extension).
 - The eva-config. json sample configuration file.
 - The eva-database-scripts.tar.gz file that contains the database management scripts.
- 4. From **Documents**, download the *Entrust Validation Authority Deployment Guide*.
- 5. From the list of Related Software, select Entrust Download Manager.

You will need it to install Entrust Validation Authority. This guide uses the VMware vSphere deployment.

Select the Entrust Deployment Manager for VMware vSphere and physical machines download option.

6. From **Documents** of the Entrust Deployment Manager, download the *Entrust Deployment Manager Installation and Administration Guide*.

2.2. Install and configure the database

Install and configure the database that will be used by Entrust Validation Authority. As explained in Entrust Validation Authority requirements, the Entrust Validation Authority uses an external database. To initialize this database, the eva-database-scripts.tar.gz, included with the software, provides scripts for each supported DBMS, which are:

- PostgreSQL database
- Oracle database

SQL Server database

See the *Entrust Validation Authority Deployment Guide* for specific instructions on how to use the script to initialize the database.

This guide uses a server running the PostgreSQL database. An Ubuntu 20 server was deployed and PostgreSQL was selected to be installed. To install PostgreSQL on Ubuntu and configure it to be used by Entrust Validation Authority, do the following:

1. Install the postgresql package

```
% sudo apt install postgresql
```

2. Allow other computers to connect to PostgreSQL database.

Edit the /etc/postgresql/12/main/postgresql.conf file.

```
% cd /etc/postgresql/12/main
% vi postgresql.conf
```

Locate the line:

```
#listen_addresses = 'localhost'
```

and change it to:

```
listen_addresses = '*'
```

3. Set a password for the postgres user.

Run the following command at a terminal prompt to connect to the default PostgreSQL template database:

```
% sudo -u postgres psql template1
```

The above command connects to PostgreSQL database template1 as the postgres user. After you have connected to the PostgreSQL server, you will be at an SQL prompt. Run the following SQL command at the psql prompt to configure the password for the postgres user.

```
ALTER USER postgres with encrypted password 'your_password';
```

Quit psql:

```
\q
```

4. Set the authentication type of the postgres user.

Edit /etc/postgresql/*/main/pg_hba.conf to allow authentication with the postgres user from any system in the local network:

```
host all all x.x.x.1/24 trust
```

5. Restart the PostgreSQL service to initialize the new configuration.

```
% sudo systemctl restart postgresql.service
```

6. Test the connection.

```
% psql --host <db_host> --username postgres --password --dbname template1
```

7. Transfer the Entrust Validation Authority database scripts (eva-database-scripts.tar.gz) to the database server and untar the file.

```
% tar zxvf eva-database-scripts.tar.gz
% cd eva-database-scripts/postgresql
```

8. Create the environment variables needed to run the database scripts.

The Values used here are the values used in the integration.

DBNAME

The database name.

```
% export DBNAME=template1
```

HOSTNAME

The name of the host to connect to.

```
% export HOSTNAME=<db_host>
```

USERNAME

The username to connect as.

```
% export USERNAME=postgres
```

PASSWORD

The password of the user to connect as.

```
% export PASSWORD='xxxxxx'
```

OCSPRESPONDER_DB_PASSWORD

The password of the OCSP Responder user with Read permissions on the certStatus and metadata tables.

```
% export OCSPRESPONDER_DB_PASSWORD='xxxxxxxxxx'
```

OCSPRESPONDER_DB_USER

The name of the OCSP Responder user with Read permissions on the certStatus and metadata tables.

```
% export OCSPRESPONDER_DB_USER='ocspresponderuser'
```

STATUSFEEDER_DB_PASSWORD

The password of the Status Feeder user with Read and Write permissions on the certStatus and metadata tables.

```
% export STATUSFEEDER_DB_PASSWORD='xxxxxxxxxx'
```

STATUSFEEDER_DB_USER

The name of the Status Feeder user with Read and Write permissions on the certStatus and metadata tables.

```
% export STATUSFEEDER_DB_USER='statusfeederuser'
```

9. Run certstatus_initial_schema.sql.

```
% PGPASSWORD=$PASSWORD psql -d $DBNAME -U $USERNAME -h $HOSTNAME -v "ON_ERROR_STOP=1" -f
./certstatus_initial_schema.sql
CREATE TABLE
CREATE INDEX
```

10. Run metadata_initial_schema.sql.

```
% PGPASSWORD=$PASSWORD psql -d $DBNAME -U $USERNAME -h $HOSTNAME -v "ON_ERROR_STOP=1" -f
./metadata_initial_schema.sql
CREATE TABLE
CREATE INDEX
```

11. Run create_users.sql to create the database users.

```
% PGPASSWORD=$PASSWORD psql -d $DBNAME -U $USERNAME -h $HOSTNAME \
-v STATUSFEEDER_DB_USER=$STATUSFEEDER_DB_USER \
-v OCSPRESPONDER_DB_USER=$OCSPRESPONDER_DB_USER \
-v STATUSFEEDER_DB_PASSWORD=$STATUSFEEDER_DB_PASSWORD \
-v OCSPRESPONDER_DB_PASSWORD=$OCSPRESPONDER_DB_PASSWORD \
-v "ON_ERROR_STOP=1" -f ./create_users.sql

CREATE ROLE
CREATE ROLE
GRANT
GRANT
GRANT
GRANT
GRANT
GRANT
GRANT
GRANT
```

2.3. Install and configure a Certificate Authority (CA)

Install and configure a Certificate Authority (CA) that will be used by Entrust Validation Authority. As explained in Entrust Validation Authority requirements, the Entrust Validation Authority uses a Certificate Authority (CA) to obtain the VA server certificate that will be used in the integration. Since the integration will not use a CA GW and instead it will use a Certificate Revocation List (CRL), the CA will also be used to generate the CRL list. The guide uses easy-RSA CA but any CA could be used in this case.

2.3.1. Install and configure a Certificate Authority Server

This guide uses the same server used for the database to install the CA. The installation instructions in this case are for an Ubuntu server. A separate server could be used if necessary.

1. Install the easy-rsa package.

```
% sudo apt install easy-rsa
```

2. Prepare the public Key Infrastructure directory.

```
% mkdir ~/easy-rsa
% ln -s /usr/share/easy-rsa/* ~/easy-rsa/
% chmod 700 ~/easy-rsa
% cd ~/easy-rsa
% ./easyrsa init-pki
init-pki complete; you may now create a CA or requests.
Your newly created PKI dir is: ~/easy-rsa/pki
```

- 3. Create a Certificate Authority.
 - a. Create the vars file.

Before you can create your CA's private key and certificate, you need to create and populate a vars file in the easy-rsa directory with some default values.

b. Create the root public and private key pair for your Certificate Authority.

```
% ./easyrsa build-ca
...
Enter New CA Key Passphrase:
Re-Enter New CA Key Passphrase:
...
Common Name (eg: your user, host, or server name) [Easy-RSA CA]: CA Gateway

CA creation complete and you may now import and sign cert requests.
Your new CA certificate file for publishing is at:
~/easy-rsa/pki/ca.crt
```

c. Save the ca.crt file.

This file will be used in the Entrust Deployment Management server to generate the keys. It will also be used in the Entrust Validation Authority GUI configuration.

2.3.2. Generate a server key pair

This key pair will be used to generate a certificate that will be revoked so we can generate the CRL that will be used by the integration. To generate the key pair, run the following command:

```
% keytool -genkeypair -alias <alias> -dname <dn> -keyalg <keyAlg> -keysize <keySize> \
   -sigalg sha256WithRSA -ext san=dns:<dns> -keystore <keystore> [-keypass <keyPass>] [-storepass <keystorePass>]
```

For this integration:

2.3.3. Obtain the key pair CSR

Create a Certificate Signing Request (CSR) by entering the following command:

```
% keytool -certreq -alias <alias> -file <file> -storetype pkcs12 -keystore <keystore> [-storepass <keystorePass>]
```

For this integration:

```
% keytool -certreq -alias example_alias -file ./cagw_csr.txt -keystore ./keystore.ks
Enter keystore password:

Warning:
The JKS keystore uses a proprietary format. It is recommended to migrate to PKCS12 which is an industry standard format using "keytool -importkeystore -srckeystore ./keystore.ks -destkeystore ./keystore.ks -deststoretype pkcs12".
```

2.3.4. Obtain the server certificate from the CSR

1. Import the CSR

Using the CSR generated in the previous step (cagw_csr.txt), import the CSR.

```
% cd ~/easy-rsa
% ./easyrsa import-req /tmp/cagw_csr.txt cagw

Note: using Easy-RSA configuration from: ./vars

Using SSL: openssl OpenSSL 1.1.1f 31 Mar 2020

The request has been successfully imported with a short name of: cagw
You may now use this name to perform signing operations on this request.
```

2. Sign the CSR.

```
% ./easyrsa sign-req server cagw
Note: using Easy-RSA configuration from: ./vars
Using SSL: openSSL 1.1.1f 31 Mar 2020
You are about to sign the following certificate.
Please check over the details shown below for accuracy. Note that this request
has not been cryptographically verified. Please be sure it came from a trusted
source or that you have verified the request checksum with the sender.
Request subject, to be signed as a server certificate for 1080 days:
subject=
   countryName
                            = US
   organizationName = Interop
   organizationalUnitName = CA Entry
                             = CA Gateway
Type the word 'yes' to continue, or any other input to abort.
 Confirm request details: yes
Using configuration from /home/xxxx/easy-rsa/pki/safessl-easyrsa.cnf
Enter pass phrase for /home/xxxx/easy-rsa/pki/private/ca.key:
Check that the request matches the signature
Signature ok
The Subject's Distinguished Name is as follows
countryName :PRINTABLE:'US' organizationName :PRINTABLE:'Interop'
organizationalUnitName:PRINTABLE:'CA Entry'
commonName :PRINTABLE:'CA Gateway'
Certificate is to be certified until Oct 4 18:55:17 2026 GMT (1080 days)
Write out database with 1 new entries
Data Base Updated
Certificate created at: /home/xxxx/easy-rsa/pki/issued/cagw.crt
```

2.3.5. Revoke the certificate to be able to create the CRL list

To create the CRL needed for the integration, we need to revoke the certificate created in the previous step.

```
% ./easyrsa revoke cagw
Note: using Easy-RSA configuration from: ./vars
Using SSL: openSSL 1.1.1f 31 Mar 2020
Please confirm you wish to revoke the certificate with the following subject:
subject=
   countryName
                             = US
   organizationName
                             = Interop
   organizationalUnitName
                            = CA Entry
   commonName
                             = CA Gateway
Type the word 'yes' to continue, or any other input to abort.
 Continue with revocation: yes
Using configuration from /home/xxxx/easy-rsa/pki/safessl-easyrsa.cnf
Enter pass phrase for /home/xxxx/easy-rsa/pki/private/ca.key:
Revoking Certificate 5FB65DF1FBD42CCA25FEC514B415E1BE.
Data Base Updated
IMPORTANT!!!
Revocation was successful. You must run gen-crl and upload a CRL to your
infrastructure in order to prevent the revoked cert from being accepted.
```

2.3.6. Generate the Certificate Revocation List

1. Generate the CRL.

It will contain the certificate revoked in the previous step.

```
% ./easyrsa gen-crl

Note: using Easy-RSA configuration from: ./vars

Using SSL: openSSL 1.1.1f 31 Mar 2020

Using configuration from /home/xxxx/easy-rsa/pki/safessl-easyrsa.cnf

Enter pass phrase for /home/xxxx/easy-rsa/pki/private/ca.key:

An updated CRL has been created.

CRL file: /home/xxxx/easy-rsa/pki/crl.pem
```

2. Convert the crl.pem file to DER format

Entrust Validation Authority expects the CRL to be in DER format.

```
% openssl crl -in /home/xxxx/easy-rsa/pki/crl.pem -out /home/xxxx/easy-rsa/pki/crl.der -outform DER
```

3. Save the crl.der file so it can be made available in the HTTP host.

The crl.der file needs to be made available via HTTP to Entrust Validation Authority.

2.3.7. Make the crl.der file available via http request

If a webserver is already available, use it and make the crl.der file available via that host. Otherwise, install apache to make the crl.der file available via HTTP. In this guide, apache is installed on the same server as the database server and CA server, however it can be deployed on a separate server. The instructions are for the installation on an Ubuntu Server.

1. Install the apache2 package.

```
% sudo apt install apache2
```

2. Enable apache so if the server is rebooted the apache server runs.

```
% sudo systemctl enable apache2
```

3. Start the apache server.

```
% sudo service apache2 start
```

4. Make the crl.der file available via URL in the apache server.

```
% cd /var/www/html
% sudo mkdir crl
% cp /home/xxxx/easy-rsa/pki/crl.der crl/.
```

You should be able see the crl.der file now using the following URL:

```
http://<apache_host>/crl/crl.der
```

2.4. Install and configure the nShield HSM

This guide does not cover the basic installation and configuration of the nShield HSM or the nShield Security World client software. For instructions, see the *Installation Guide* for your HSM.

Assuming Security World has been installed and configured and the World and modules have been created, prepare the <code>cknfastrc</code> file so it is setup according to the protection method selected for the integration. The file is in the <code>%NFAST_HOME%/kmdata</code> directory.

NFAST_HOME is <code>C:\Program Files\nCipher\nfast</code> on Windows and <code>/opt/nfast</code> on Linux.

For more information about the environment variables used in cknfastrc, see:

• The nShield Cryptography API Guide.

• The PKCS #11 library environment variables section of the User Guide for the HSM.

2.4.1. Select the key protection method

2.4.1.1. Module protection

1. Add the following lines to the cknfastrc file of the Security World.

```
CKNFAST_FAKE_ACCELERATOR_LOGIN=1
```

- 2. The token name used during module protection for the integration will be **accelerator**.
- 3. For FIPS 140 Level 3:
 - a. You must have an OCS card created and inserted to provide FIPS-authentication.
 - b. The ACS card can also be used to provide FIPS-authentication but it is not recommended.

2.4.1.2. Softcard protection

1. Add the following lines to the cknfastrc file of the Security World.

```
CKNFAST_LOADSHARING=1
```

2. Create a softcard

```
% ppmk -n mysoftcard

Enter new pass phrase:
Enter new pass phrase again:
New softcard created: HKLTU 329333aa357af00ca57af28c3ca4a3b4e6d39afe
```

- 3. The token name used during softcard protection for the integration will be the softcard name used when you created the softcard. In this case, **mysoftcard**.
- 4. For FIPS 140 Level 3:
 - a. You must have an OCS card created and inserted to provide FIPS-authentication.
 - b. The ACS card can also be used to provide FIPS-authentication but it is not recommended.

2.4.1.3. OCS protection

1. Add the following lines to the cknfastrc file of the Security World.

```
CKNFAST_LOADSHARING=1
```

2. Create the OCS card

```
% sudo /opt/nfast/bin/createocs -m1 -s2 --persist -N myocs -Q 1/1

Creating Cardset:
Module 1: 0 cards of 1 written
Module 1 slot 0: Admin Card #1
Module 1 slot 2: blank card
Module 1 slot 3: empty
Module 1 slot 4: empty
Module 1 slot 5: empty
Module 1 slot 5: empty
Card writing complete.

cardset created; hkltu = a705fffe235cd68850ab08504622b233d7087d12
```

- 3. The token name used during OCS protection for the integration will be the name used when the OCS card was created. In this case, **myocs**.
- 4. Insert the OCS card to provide FIPS-authorization.

2.4.2. cardlist file

If you are using a Remote administration card, add "*" to the kmdata/config/cardlist file to allow the usage of the remote admin card.

2.4.3. Create a tar file with the kmdata directory

When you are configuring Entrust Validation Authority, you will have to import the kmdata directory from the Security World into EVA.

1. Create a tar file that contains the kmdata directory.

Make sure that the world, the modules, the cardlist, the softcard or the OCS cards, and the cknfastrc file have been created and that they are ready to be used by EVA.

```
% cd /opt/nfast
% tar czvf ~/kmdata.tgz kmdata
```

2. Save the tar file so it can be used when the import takes place.

2.5. Set up and configure the Entrust Deployment Manager server

Entrust Deployment Manager (EDM) provides a Management Console to deploy and

manage Entrust solutions like Entrust Validation Authority. It needs to be setup and configure first before you can deploy Entrust Validation Authority. For this integration, EDM is deployed on VMware vSphere. After downloading the Entrust Deployment Manager software for vSphere. Install it according to what is documented in the EDM Administration Guide.

This integration used a VM with the following configuration:

- 4 CPUs
- 8 GB RAM
- 175 GB Disk

Once deployed, sign in using the following credentials:

sysadmin/changeme

Follow the instructions on the Administration Guide to complete the installation. The EDM server was installed in single-mode for the integration.

```
% sudo clusterctl install --mode single-node
```

1. Replace the default password of the Management console.

Open the following URL:

```
https://<edm_host>/management-console
```

- a. Log in with the admin username and the changeme password.
- b. Fill in the Change Password form and select **SAVE**.
- 2. Replace the default Grafana password.

Open the following URL:

```
https://<edm_host>/grafana
```

- a. Log in with the admin username and the changeme password.
- b. Go to **Admin > Change Password** and change the admin's password.


2.6. Entrust Validation Authority setup and configuration

Entrust Deployment Manager provides a Management Console to deploy and manage Entrust solutions like Entrust Validation Authority.


Sign in to the **admin** account of the Entrust Deployment Management Console at the following URL:

2.6.1. Register Entrust Validation Authority

1. Select **Register Solution** in the sidebar menu to display the registration dialog.




- 2. In the registration dialog:
 - a. Select **License File** to register the solution with a license file.
 - b. Select **License Activation URL** to register the solution with an activation URL and a license password.




3. Select **Register Solution** and wait until the solution is registered.

2.6.2. Manage Entrust Validation Authority

 In the content pane, select Manage Solution for the newly registered solution for Entrust Validation Authority.



- 2. To upload the solution file with the Management Console:
 - a. In the Entrust On-Premises Product Information page, select Select Files.
 - b. Select the .sln installation file for the solution.
 - c. Select **Upload** and wait until the installation file is uploaded.
 - d. Select **Next**.



2.6.3. Import the HSM configuration

1. As the sysadmin user, transfer the kmdata.tgz file created earlier with the HSM kmdata directory to the EDM server.

```
% sftp sysadmin@<edm_host>
> put kmdata.tgz
```

2. Transfer the evactl command that was downloaded with the EVA software downloaded to the EDM server.

```
% sftp sysadmin@<edm_host>
> put evactl
```

- 3. ssh to the EDM server IP address using the sysadmin user.
- 4. Extract the contents of the kmdata.tgz file.

```
% tar zxvf kmdata.tgz
```

5. Run the evactl import-nshield command to import the configuration.

2.6.4. Generate the VA certificate key and CSR

1. Generate the private key for the VA certificate.

In the EDM server, run the evactl create-key command to generate a private key for the VA certificate. Do this based on the protection method selected in the HSM configuration section. Keep in mind the token name to be used.

In the example below, we will use softcard protection, which uses token mysoftcard. If using module protection, change the token name to accelerator. The command will also create the CSR needed for the VA certificate.

2. Copy /tmp/certreq.txt to /home/sysadmin/.

```
% sudo chmod 777 /tmp/certreq.txt; cp /tmp/certreq.txt ~/.
```



The create-key command deletes the contents of the cknfastrc file. To address this, you must put the cknfastrc file back in kmdata.

3. Export kmdata from Entrust Validation Authority.

```
% sudo ./evactl export-nshield -o new-kmdata

Obtaining necessary components for EVA... Done
Exporting nShield... Done
```

4. Copy or recreate cknfastrc in the new-kmdata directory.

```
% sudo cp kmdata/cknfastrc new-kmdata/kmdata/.
```

5. Check the contents of cknfastrc.

```
% sudo cat new-kmdata/kmdata/cknfastrc

CKNFAST_LOADSHARING=1
```

6. Re-import new-kmdata/kmdata.

7. Check that you can read the keys in the token.

```
% sudo ./evactl list-keys -t mysoftcard -v nshield
Obtaining necessary components for EVA... Done
Enter HSM PIN:
Starting PKCS #11 Manager...
                                         Done
Using token with label mysoftcard
Private Key Object; RSA 2048 bits
  Label:
            96579d9dcc7c9c5e73f85fe3d4fd03ab8c29e872
            96579d9dcc7c9c5e73f85fe3d4fd03ab8c29e872
 TD:
 Usage: sign
Public Key Object; RSA 2048 bits
           96579d9dcc7c9c5e73f85fe3d4fd03ab8c29e872
 Label:
             96579d9dcc7c9c5e73f85fe3d4fd03ab8c29e872
  ID:
  Usage:
             verify
```

2.6.5. Process the VA certificate request

Send the VA certificate request to a CA for generating a certificate with the following extension values:

Key Usage digitalSignature

Extended Key Usage id-kp-OCSPSigning

Extended Key Usage value in the documentation is id-kp-0CSPSigning. However, when we used easy-rsa, we had to set the value to 0CSPSigning because using id-kp-0CSPSigning resulted in the following error message when the CRS was signed:

```
ERROR: adding extensions in section default
140384717350208:error:0D06407A:asn1 encoding routines:a2d_ASN1_OBJECT:first num too large:../crypto/asn1/a_object.c:73:
140384717350208:error:2206706E:X509 V3 routines:v2i_EXTENDED_KEY_USAGE:invalid object
identifier:../crypto/x509v3/v3_extku.c:95:section:<NULL>,name:id-kp-OCSPSigning,value:<NULL>
140384717350208:error:22098080:X509 V3 routines:X509V3_EXT_nconf:error in
extension:../crypto/x509v3/v3_conf.c:47:name=extendedKeyUsage, value=id-kp-OCSPSigning

Easy-RSA error:
signing failed (openssl output above may have more detail)
```

Transfer the certreq.txt file to the CA server.

In the CA server, do the following:

1. Import the certificate

```
% cd easy-rsa
% ./easyrsa import-req /home/xxxx/certreq.txt va

Note: using Easy-RSA configuration from: ./vars

Using SSL: openssl OpenSSL 1.1.1f 31 Mar 2020

The request has been successfully imported with a short name of: va
You may now use this name to perform signing operations on this request.
```

2. Set the configuration of easy-rsa so the extension values are available.

The keyUsage extension is already properly set. You only need to set the extendedKeyUsage extension. You do this by setting the following environment variable before signing the request:

```
% export EASYRSA_EXTRA_EXTS='extendedKeyUsage = OCSPSigning'
```

3. Sign the CSR.

```
% ./easyrsa sign-req client va
Note: using Easy-RSA configuration from: ./vars
Using SSL: openSSL 1.1.1f 31 Mar 2020
You are about to sign the following certificate.
Please check over the details shown below for accuracy. Note that this request
has not been cryptographically verified. Please be sure it came from a trusted
source or that you have verified the request checksum with the sender.
Request subject, to be signed as a client certificate for 1080 days:
subject=
    commonName
                             = OCSP Server
Type the word 'yes' to continue, or any other input to abort.
  Confirm request details: yes
Using configuration from /home/xxxx/easy-rsa/pki/safessl-easyrsa.cnf
Enter pass phrase for /home/xxxx/easy-rsa/pki/private/ca.key:
Check that the request matches the signature
Signature ok
The Subject's Distinguished Name is as follows
                     :PRINTABLE: 'OCSP Server'
commonName
Certificate is to be certified until Oct 9 18:11:33 2026 GMT (1080 days)
Write out database with 1 new entries
Data Base Updated
Certificate created at: /home/xxxx/easy-rsa/pki/issued/va.crt
```

4. Verify extensions are in the certificate

```
% openssl x509 -text -in /home/xxxx/easy-rsa/pki/issued/va.crt
Certificate:
    Data:
        Version: 3 (0x2)
        Serial Number:
            76:73:68:14:25:5e:ea:53:fb:87:f4:95:25:d9:80:71
        Signature Algorithm: ecdsa-with-SHA512
        Issuer: CN = CA Gateway
        Validity
            Not Before: Oct 26 13:30:57 2023 GMT
            Not After: Oct 10 13:30:57 2026 GMT
        Subject: CN = OCSP Server
        Subject Public Key Info:
            Public Key Algorithm: rsaEncryption
                RSA Public-Key: (2048 bit)
                    00:c9:99:06:77:e4:6d:fe:56:66:d2:b6:56:67:17:
                    70:58:ae:ae:cf:a2:d5:5d:53:3a:3d:f0:68:ef:c4:
                    bb:d7:ee:9a:f9:93:50:ec:a5:ad:dc:5b:76:9d:fd:
                    35:c5:6e:1b:c9:0e:df:77:47:d6:de:8c:f0:c6:3c:
                    b7:1c:14:27:22:4a:73:d3:27:63:00:b9:24:b6:6c:
                    cc:f1:a7:a2:81:f1:5c:f0:60:9d:5c:ac:73:54:c3:
                    e9:0d:30:b6:34:2c:62:05:27:4e:66:d3:2e:c4:a9:
                    10:50:2e:4e:2f:75:40:e0:8a:56:19:4f:1b:39:d1:
                    12:64:36:de:20:29:b2:32:49:68:3d:8d:51:79:30:
                    3a:e6:66:fb:de:dd:d9:c8:a0:07:a2:36:53:82:b9:
                    d6:06:96:08:38:8b:46:3c:08:e2:c8:74:9c:e6:f5:
                    9d:5c:c6:da:9f:19:3c:6a:c6:68:1e:84:c7:be:6d:
                    6b:0b:fe:e3:cf:08:29:9e:24:9f:4c:2d:d1:bb:b2:
                    13:8d:99:d6:ec:55:17:ea:85:6c:77:73:fb:d9:6b:
                    3d:4f:a4:9a:53:03:a9:57:b8:a0:fd:f4:ba:44:9a:
```

```
2c:db:74:14:22:ed:6f:51:ab:f8:80:5c:cf:0b:44:
                    b4:5e:31:c0:88:1c:30:b2:6c:b2:82:4d:6c:12:21:
                    14:85
                Exponent: 65537 (0x10001)
        X509v3 extensions:
           X509v3 Basic Constraints:
               CA: FALSE
            X509v3 Subject Key Identifier:
                06:FD:AD:4E:4B:AD:33:8B:A3:06:61:60:8C:F4:41:6D:A7:DD:AD:0E
            X509v3 Authority Key Identifier:
                keyid:E3:CE:6B:C3:26:F5:73:DA:8A:5C:62:BC:C2:E5:79:FA:BE:6C:20:DB
                DirName:/CN=CA Gateway
                serial:37:A6:56:C2:7A:3C:0E:FB:03:B6:E6:89:CC:E9:7D:82:C5:FE:5B:21
            X509v3 Key Usage:
               Digital Signature
            X509v3 Extended Key Usage:
               OCSP Signing
    Signature Algorithm: ecdsa-with-SHA512
         30:65:02:30:23:a0:bf:20:d0:ee:5f:f0:92:55:39:09:9a:17:
         60:d6:63:c1:be:1e:e3:6c:8a:70:35:b7:2d:f1:19:fc:4a:68:
         bf:6e:5c:35:a1:36:39:f2:2c:af:89:f3:a5:c9:e3:2f:02:31:
         00:f4:e7:79:f4:4d:f9:ee:2f:36:ed:13:f3:d3:4a:4d:14:08:
         91:72:64:3b:1d:21:b4:99:1f:7c:b5:9c:b1:92:51:22:58:62:
         ab:ed:c3:5f:92:f3:a3:ab:02:7c:40:74:48
----BEGIN CERTIFICATE----
MIICtjCCAjyqAwIBAqIQdnNoFCVe6lP7h/SVJdmAcTAKBqqqhkjOPQQDBDAVMRMw
EQYDVQQDDApDQSBHYXRld2F5MB4XDTIzMTAyNjEzMzA1N1oXDTI2MTAxMDEzMzA1
N1owFjEUMBIGA1UEAxMLT0NTUCBTZXJ2ZXIwggEiMA0GCSqGSIb3DQEBAQUAA4IB
DwAwggEKAoIBAQDJmQZ35G3+VmbStlZnF3BYrg7PotVdUzo98GjvxLvX7pr5k1Ds
pa3cW3ad/TXFbhvJDt93R9bejPDGPLccFCciSnPTJ2MAuSS2bMzxp6KB8VzwYJ1c
rHNUw+kNMLY0LGIFJ05m0y7EqRBQLk4vdUDgilYZTxs50RJkNt4gKbIySWg9jVF5
MDrmZvve3dnIoAeiNlOCudYGlgg4i0Y8COLIdJzm9Z1cxtqfGTxqxmgehMe+bWsL
/uPPCCmeJJ9MLdG7shONmdbsVRfqhWx3c/vZaz1PpJpTA6lXuKD99LpEmizbdBQi
7W9Rq/iAXM8LRLReMcCIHDCybLKCTWwSIRSFAgMBAAGjgaEwgZ4wCQYDVR0TBAIw
ADAdBgNVHQ4EFgQUBv2tTkutM4ujBmFgjPRBbafdrQ4wUAYDVR0jBEkwR4AU485r
wyb1c9qKXGK8wuV5+r5sINuhGaQXMBUxEzARBgNVBAMMCkNBIEdhdGV3YXmCFDem
VsJ6PA77A7bmiczpfYLF/lshMAsGA1UdDwQEAwIHgDATBgNVHSUEDDAKBggrBgEF
BQcDCTAKBggqhkjOPQQDBANoADBlAjAjoL8g005f8JJVOQmaF2DWY8G+HuNsinA1
ty3xGfxKaL9uXDWhNjnyLK+J86XJ4y8CMQD053n0TfnuLzbtE/PTSk0UCJFyZDsd
IbSZH3y1nLGSUSJYYqvtw1+S860rAnxAdEg=
----END CERTIFICATE----
```

5. Save the va.crt file so you can transfer it during the Entrust Validation Authority GUI Configuration steps of the Certificate Authority.


2.7. Configure Entrust Validation Authority from the web UI

1. Sign in to the Entrust Deployment Management Console at the following URL:


```
https://<edm_host>/management-console
```

Use the admin account and password that you configured during setup.

In the content pane, select Manage Solution for Entrust Validation Authority.



- 3. Select **Configuration** on the left.
- 4. In the **Entrust On-Premises Product Configuration** page, activate the **Import configuration** toggle switch, then select **Select Files** to import the sample configuration file included with the distribution package for Entrust Validation Authority.
- 5. Activate the **Enable Advanced** toggle to display advanced parameters on the next page.



- 6. Select **Next** to display the configuration options.
- 7. Configure the settings accordingly, the select **Next**.

Database name

Parameters for the connection to the database. In our example: **template1**.

Driver The database driver name. In our example:

postgres.

Max connections The number of maximum concurrent database

connections. Both the Status Feeder and the OCSP Responder use this value. Therefore, the database must support the double of that. In our

example: 100.

Host The IP or hostname of the database host

(<db_host>).

OCSP Responder User OCSP Responder username (ocspresponderuser).

OCSP Responder password Use the password, as configured earlier the

database setup.

Status Feeder User The Status Feeder username (statusfeederuser).

Status Feeder passwordUse the password, as configured earlier the

database setup.

Port Leave the default port as **5432**.

SSL mode Whether the EVA will use SSL in the DB

connection or not. In our example: the postgres

database is set to disable.

8. Configure the HSM settings.

Vendor The vendor name of the HSM that will be used. For

software cryptography set it to none. In our example:

nshield.

Token label The label of the HSM token that contains the private keys.

It depends on the type of HSM protection selected. In our example: we created a softcard to hold the keys. Set it to

the softcard name mysoftcard.

HSM PIN The pin for the HSM (the passphrase used for the

softcard). Use the password as configured when you created the softcard. If you are using module protection,

the HSM PIN can be anything.

Number of sessions The maximum number of concurrent PKCS #11 sessions

on the HSM. When no value is specified, the default is 64.

Leave it blank.

9. Select Next.

10. Configure the certificate authorities

This integration uses one certificate authority in the integration, so remove the two additional certificate authorities from the template:

Under Certificate Authority 1:

CA ID The identifier of the CA that issues the certificates. If

using CAGW, the ID must match the one in CAGW. If you are using CRL as the source, it can be any name. In our example: we used the name of the CA, easyrsa.

Certificates Source The source of the certificates for this CA. For this

integration, we used CRL.

• Under Certificate Revocation List:

Wait to pull certs duration How often will EVA check for new certificate

events to update the DB. Set it to 30s.

CRL Host Server Select **HTTP**.

Under Certificate Revocation List in HTTP server:

CRL HTTP URL The URL of the HTTP server where the CRL is hosted.

In our example: we deployed an Apache server and made the crl.der file available in the server. The URL:

http://<apache_host>/crl/crl.der

Connection timeout The timeout for connections with the HTTP server.

When omitted, the timeout is set to 5s. Leave it

blank (default).

Use SN Lists Set it to **false**.

Under OCS Responder:

Profile ID The identifier of the profile for processing the certificate

status before generating an OCSP response Set it to CRLProfile or CRLProfileWithArchiveCutOff. In our

example: CRLProfile.

CA Certificate The certificate as a pem file. It is the CA that issues the

certificates for which EVA will give OCSP service. Upload the ca.crt file from easy-rsa in this case because this is the

CA we are using.

VA Certificate The certificate as a pem file. It is the VA that will be used to

sign the OCSP responses. This is the va certificate we

signed using easy-rsa (va.crt file).

11. Select Next.

12. Under OCS Responder-Server, take the default settings and select Next.

13. LDAP Servers:

We will not use LDAP so remove all the server settings from the template.


2.8. Submit the configuration settings

- 1. Select **Download** to download the new configuration.
- 2. Select **Validate** to validate the configured settings.
- 3. Correct any detected configuration error.
- 4. Select **Submit** and wait while Entrust Deployment Manager uploads the configuration and any attached files.


2.9. Entrust Validation Authority Deployment

After you **Submit** the Entrust Validation Authority Configuration and there are no errors reported in the configuration, the system is ready to be deployed:


- 1. Select **Deploy**.
- 2. Select **Yes** in the confirmation dialog.
- 3. Wait until the solution is deployed.



4. Once deployed, select **Go to Dashboard**.



5. You should see that EVA has been deployed successfully.





If the deployment fails, follow the instructions in the *Entrust Validation Authority Deployment Guide* to see how to check the logs.

When you are using OCS protection, you might encounter failures during deployment in EVA versions before 2.3.1. The issue is with the timer used by EVA, which waits for the Kubernetes pods in the system to come up. Because OCS is a physical card, the system takes longer to come up, which might exceed the timer.

To validate the system is up, you can run the following command in the EDM server:

```
% sudo kubectl get pods -n eva
                                   READY
                                           STATUS
                                                      RESTARTS
                                                                AGE
eva-statusfeeder-7954484987-bhfcp
                                   1/1
                                            Running
eva-ocspresponder-8fd555d9b-x7k6s
                                                                 13m
                                   2/2
                                            Running
                                                     0
eva-ocspresponder-8fd555d9b-6n5df
                                   2/2
                                                     0
                                                                 13m
                                            Running
eva-crlshim-0-0
                                    1/1
                                                      0
                                                                 12m
                                            Running
```

You can also run the EVA testing on the next section and it should be successful if the pods above are running.

To fix the failure in the dashboard, the suggestion for this scenario is to just redeploy EVA, using the **Re-Deploy** function available in the UI.



2.10. Entrust Validation Authority Testing

After deploying Entrust Validation Authority, you can test the OCSP Responder service as follows.

- With OpenSSL
- · With the health check endpoint

2.10.1. Test the OCSP Responder with OpenSSL

Run the following openss1 command to test the OCSP Responder service.

```
% openssl ocsp -issuer **ca_cert** -serial **sn** -url **url** -VAfile **va_cert**
```

If the serial number is not found in the CRL, EVA will return **good** status. If the serial is in the CRL, it'll return the revoke information contained in the CRL

2.10.1.1. Test the OCSP Responder with a serial number that is not in the CRL

```
% openssl ocsp -issuer ./ca.crt -serial 0x000000002439fa8f5fe6370bb20ccb2556da6991 -url http://<host>/eva -VAfile ./va.crt
openssl ocsp -issuer ./ca.crt -serial 0x000000002439fa8f5fe6370bb20ccb2556da6991 -url http://<host>/eva -VAfile ./va.crt
Response verify OK
0x00000002439fa8f5fe6370bb20ccb2556da6991: good
    This Update: Oct 25 17:26:46 2023 GMT
    Next Update: Apr 22 17:26:46 2024 GMT
```

2.10.1.2. Test the OCSP Responder with a serial number that is in the CRL

```
% openssl ocsp -issuer ./ca.crt -serial 0x5FB65DF1FBD42CCA25FEC514B415E1BE -url http://<host>/eva -VAfile ./va.crt
Response verify OK
0x5FB65DF1FBD42CCA25FEC514B415E1BE: revoked
This Update: Oct 25 17:26:46 2023 GMT
Next Update: Apr 22 17:26:46 2024 GMT
Revocation Time: Oct 25 17:24:00 2023 GMT
```

2.10.2. Test the OCSP Responder with the health check endpoint

Entrust Validation Authority exposes the following endpoint to check the health of the database and HSM connections.

```
http://<host>/eva/health
```

This endpoint returns a HTTP 503 response when the health check fails.

```
$ wget http://<host>/eva/health
--2023-10-26 11:42:17-- http://<host>/eva/health
Connecting to x.x.x.x:80... connected.
HTTP request sent, awaiting response... 200 OK
{}
```

2.11. FIPS Level 3 remarks and recommendations

Recommendations when a FIPS Level 3 world file is used for the HSM configuration:

- Create an OCS card 1/N where N is the number of HSMs in the configuration.
- All HSMs in the configuration must use the same world file.
- Leave the OCS card inserted on each HSM used in the configuration.
- The OCS card is only used for FIPS authorization and not to protect the keys.
- The OCS card must be present any time new key material is created.