### **Section 508 Report**

Date of Report: November 27, 2022

Name of Product: Entrust Certificate Agent 11.0 for Outlook

Platform: Windows

Accessibility Website: Entrust Accessibility - VPAT

Accessibility contact for more information: Section 508 Compliance

For full conformance statements, visit Section 508 Reports for Entrust Products.

For assistance with this report, please email us.

#### **Chapter 1 Application and Administration**

Section 508 (ICT Refresh)

#### **Chapter 2 Scoping Requirements**

#### Criteria

**E207.2 WCAG Conformance.** User interface components and content of platforms and applications shall conform to Level A and Level AA Success Criteria and Conformance Requirements specified for web pages in WCAG 2.0.

### Web Content Accessibility Guidelines (WCAG) 2.0

#### **Principle 1: Perceivable**

Information and user interface components must be presentable to users in ways they can perceive.

#### **Guideline 1.1 Text Alternatives**

Provide text alternatives for any non-text content so that it can be changed into other forms people need, such as large print, braille, speech, symbols or simpler language.

Criteria	Supporting Feature	Remarks and Explanations
<b>1.1.1 Non-text Content:</b> All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except in situations listed in <u>WCAG 2.0 1.1.1</u> .	Supported	

#### **Guideline 1.2 Time-based Media**

Provide alternatives for time-based media.

Criteria	Supporting Feature	Remarks and Explanations
<b>1.2.1 Audio-only and Video-only</b> ( <b>Prerecorded</b> ): For prerecorded audio-only and prerecorded video-	Not Applicable	

Criteria	Supporting Feature	Remarks and Explanations
only media, the following are true, except when the audio or video is a media alternative for text and is clearly labeled as such:  • Prerecorded Audio-only: An alternative for time-based media is provided that presents equivalent information for prerecorded audio-only content.		
• <u>Prerecorded Video-only</u> : Either an alternative for time-based media or an audio track is provided that presents equivalent information for prerecorded video-only content.		
1.2.2 Captions (Prerecorded): Captions are provided for all prerecorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such.	Not Applicable	
1.2.3 Audio Description or Media Alternative (Prerecorded): An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such.	Not Applicable	
<b>1.2.4 Captions (Live):</b> Captions are provided for all live audio content in synchronized media.	Not Applicable	
1.2.5 Audio Description (Prerecorded): Audio description is provided for all prerecorded video content in synchronized media.	Not Applicable	

# **Guideline 1.3 Adaptable**

Create content that can be presented in different ways (for example simpler layout) without losing information or structure.

Criteria	Supporting Feature	Remarks and Explanations
1.3.1 Info and Relationships:	Supported With Exceptions	The following exceptions have been
Information, structure, and		noted:
relationships conveyed through		

Criteria	Supporting Feature	Remarks and Explanations
presentation can be programmatically determined or are available in text.		<ol> <li>Under Users -&gt; Find, the screen reader reads only the first column of the search results.</li> <li>After running an Audit Log report, the screen reader reads only the first column of the report.</li> </ol>
1.3.2 Meaningful Sequence: When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.	Supported	
1.3.3 Sensory Characteristics: Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound.	Supported	

# **Guideline 1.4 Distinguishable**

Make it easier for users to see and hear content including separating foreground from background.

Criteria	Supporting Feature	Remarks and Explanations
<b>1.4.1 Use of Color:</b> Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supported	
<b>1.4.2 Audio Control:</b> If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.	Not Applicable	
<b>1.4.3 Contrast (Minimum):</b> The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for situations listed in WCAG 2.0 1.4.3.	Not Applicable	
<b>1.4.4 Resize text:</b> Except for captions and images of text, text can be resized	Supported	

Criteria	Supporting Feature	Remarks and Explanations
without assistive technology up to 200 percent without loss of content or functionality.		
<b>1.4.5 Images of Text:</b> If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text except for the following:	Not Applicable	
• <u>Customizable:</u> The image of text can be visually customized to the user's requirements;		
• <u>Essential</u> : A particular presentation of text is essential to the information being conveyed.		

## **Principle 2: Operable**

User interface components and navigation must be operable.

# **Guideline 2.1 Keyboard Accessible**

Make all functionality available from a keyboard.

Criteria	Supporting Feature	Remarks and Explanations
2.1.1 Keyboard: All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.	Supported With Exceptions	<ol> <li>The following exceptions apply:</li> <li>There is no way to access the list of archived users via the keyboard (Users -&gt; Archived Users).</li> <li>When adding a new role (Policies -&gt; Roles -&gt; New), there is no way to access the Help button from the Permissions and Summary property pages, without using a mouse.</li> <li>You cannot use the keyboard to move between the tree pane and property page pane on the main Security Manager Administration page. You must use the mouse.</li> <li>You cannot use the keyboard to move to the "In DN" checkbox items within the New User - Naming tab.</li> </ol>

Criteria	Supporting Feature	Remarks and Explanations
		<ul> <li>5) Once the IPSEC Device Type has been selected on the New User  – Certificate Info property page, there is no way to return the focus back to the Type list without using a mouse.</li> <li>6) There is no keyboard equivalent for the scrollable region within the New User Policy-Policy Attributes property page. The problem also occurs when viewing policies presented in the General Information tab once a named policy has been selected from the Security Policy-User Policies tree view.</li> <li>7) The keyboard cannot be used to return to the tab headings on the Roles property pages after a selection is made on the Permissions or Summary property pages. Additionally, from within the Administrators tab, the items within the list are not accessible via keystroke.</li> </ul>
2.1.2 No Keyboard Trap: If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away.	Supported	

**Guideline 2.2 Enough Time**Provide users enough time to read and use content.

Criteria	Supporting Feature	Remarks and Explanations
2.2.1 Timing Adjustable: For each	Supported	
time limit that is set by the content, at		
least one of the instances in WCAG		
<u>2.0 2.2.1</u> is true.		

Criteria	Supporting Feature	Remarks and Explanations
<b>2.2.2 Pause, Stop, Hide:</b> For moving, blinking, scrolling, or auto-updating information, all of the following are true:	Supported	
• Moving, blinking, scrolling: For any moving, blinking or scrolling information that (1) starts automatically, (2) lasts more than five seconds, and (3) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is essential; and		
• <u>Auto-updating:</u> For any auto-updating information that (1) starts automatically and (2) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the auto-updating is part of an activity where it is essential.		

### **Guideline 2.3 Seizures**

Do not design content in a way that is known to cause seizures.

Criteria	Supporting Feature	Remarks and Explanations
2.3.1 Three Flashes or Below	Supported	
<b>Threshold:</b> Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.		

## **Guideline 2.4 Navigable**

Provide ways to help users navigate, find content, and determine where they are.

Criteria	Supporting Feature	Remarks and Explanations
<b>2.4.1 Bypass Blocks:</b> A mechanism is available to bypass blocks of content that are repeated on multiple Web pages.	Supported	
<b>2.4.2 Page Titled:</b> Web pages have titles that describe topic or purpose.	Supported	

Criteria	Supporting Feature	Remarks and Explanations
<b>2.4.3 Focus Order:</b> If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.	Supported	
2.4.4 Link Purpose (In Context): The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context, except where the purpose of the link would be ambiguous to users in general.	Supported	
<b>2.4.5 Multiple Ways:</b> More than one way is available to locate a Web page within a set of Web pages except where the Web Page is the result of, or a step in, a process.	Supported	
<b>2.4.6 Headings and Labels:</b> Headings and labels describe topic or purpose.	Supported	
<b>2.4.7 Focus Visible:</b> Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.	Supported With Exceptions	• The focus is not obvious when you key to the End User checkbox under Policies -> Roles -> New.

## **Principle 3: Understandable**

Information and the operation of user interface must be understandable.

### **Guideline 3.1 Readable**

Make text content readable and understandable.

Criteria	Supporting Feature	Remarks and Explanations
<b>3.1.1 Language of Page</b> : The default human language of each Web page can be programmatically determined.	Supported	
<b>3.1.2 Language of Parts:</b> The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become	Supported	

Criteria	Supporting Feature	Remarks and Explanations
part of the vernacular of the		
immediately surrounding text.		

### **Guideline 3.2 Predictable**

Make Web pages appear and operate in predictable ways.

Criteria	Supporting Feature	Remarks and Explanations
<b>3.2.1 On Focus:</b> When any component receives focus, it does not initiate a change of context.	Supported	
<b>3.2.2 On Input:</b> Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component	Supported	
3.2.3 Consistent Navigation: Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.	Supported	
3.2.4 Consistent Identification: Components that have the same functionality within a set of Web pages are identified consistently.	Supported	

## **Guideline 3.3 Input Assistance**

Help users avoid and correct mistakes.

Criteria	Supporting Feature	Remarks and Explanations
<b>3.3.1 Error Identification:</b> If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.	Supported	
<b>3.3.2 Labels or Instructions:</b> Labels or instructions are provided when content requires user input.	Supported	
<b>3.3.3 Error Suggestion:</b> If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to	Supported	

Criteria	Supporting Feature	Remarks and Explanations
the user, unless it would jeopardize the security or purpose of the content.		
3.3.4 Error Prevention (Legal, Financial, Data): For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  1. Reversible: Submissions are reversible.	Not Applicable	
<ul><li>2. Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.</li><li>3. Confirmed: A mechanism is available for reviewing, confirming.</li></ul>		
available for reviewing, confirming, and correcting information before finalizing the submission.		

### **Principle 4: Robust**

Content must be robust enough that it can be interpreted reliably by a wide variety of user agents, including assistive technologies.

### **Guideline 4.1 Compatible**

Maximize compatibility with current and future user agents, including assistive technologies.

Criteria	Supporting Feature	Remarks and Explanations
4.1.1 Parsing: In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.	Supported	
<b>4.1.2 Name, Role, Value:</b> For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set	Supported	

Criteria	Supporting Feature	Remarks and Explanations
by the user can be programmatically		
set; and notification of changes to these items is available to user agents,		
including assistive technologies.		

#### **Chapter 3 Functional Performance Criteria**

#### 301 General

**301.1 Scope** The requirements of Chapter 3 shall apply to ICT where required by <u>508 Chapter 2 (Scoping Requirements)</u>, 255 Chapter 2 (Scoping Requirements), and where otherwise referenced in any other chapter of the Revised 508 Standards or Revised 255 Guidelines.

#### **302 Functional Performance Criteria**

#### Criteria

- **302.1 Without vision.** Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that does not require user vision.
- **302.2 With limited vision**. Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited vision.
- **302.3 Without Perception of Color.** Where a visual mode of operation is provided, ICT shall provide at least one visual mode of operation that does not require user perception of color.
- **302.4 Without Hearing.** Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that does not require user hearing.
- **302.5 With Limited Hearing.** Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited hearing.
- **302.6 Without Speech.** Where speech is used for input, control, or operation, ICT shall provide at least one mode of operation that does not require user speech.
- **302.7 With Limited Manipulation.** Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that does not require fine motor control or simultaneous manual operations.
- **302.8 With Limited Reach and Strength.** Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that is operable with limited reach and limited strength.
- 302.9 With Limited Language, Cognitive, and Learning Abilities. ICT shall provide features making its use by individuals with limited cognitive, language, and learning abilities simpler and easier.

#### **Chapter 4 Hardware**

#### 401 General

**401.1 Scope.** The requirements of Chapter 4 shall apply to ICT that is hardware where required by <u>508 Chapter 2 (Scoping Requirements)</u>, 255 Chapter 2 (Scoping Requirements), and where otherwise referenced in any other chapter of the Revised 508 Standards or Revised 255 Guidelines.

EXCEPTION: Hardware that is assistive technology shall not be required to conform to the requirements of this chapter.

### **402 Closed Functionality**

**402.1 General.** ICT with closed functionality shall be operable without requiring the user to attach or install assistive technology other than personal headsets or other audio couplers, and shall conform to 402.

Criteria	Supporting Feature	Remarks and Explanations
<b>402.2 Speech-Output Enabled.</b> ICT with a display screen shall be speech-output enabled for full and independent use by individuals with vision impairments.	Not Applicable	
<b>402.2.1 Information Displayed On- Screen.</b> Speech output shall be provided for all information displayed on-screen.	Not Applicable	
402.2.2 Transactional Outputs. Where transactional outputs are provided, the speech output shall audibly provide all information necessary to verify a transaction.	Not Applicable	
402.2.3 Speech Delivery Type and Coordination. Speech output shall be delivered through a mechanism that is readily available to all users, including, but not limited to, an industry standard connector or a telephone handset. Speech shall be recorded or digitized human, or synthesized. Speech output shall be coordinated with information displayed on the screen.	Not Applicable	
<b>402.2.4 User Control.</b> Speech output for any single function shall be automatically interrupted when a transaction is selected. Speech output shall be capable of being repeated and paused.	Not Applicable	
<b>402.2.5 Braille Instructions.</b> Where speech output is required by 402.2, braille instructions for initiating the speech mode of operation shall be provided.	Not Applicable	
<b>402.3 Volume.</b> ICT that delivers sound, including speech output required by 402.2, shall provide	Not Applicable	

Criteria	Supporting Feature	Remarks and Explanations
volume control and output amplification conforming to 402.3.		
402.3.1 Private Listening. Where ICT provides private listening, it shall provide a mode of operation for controlling the volume. Where ICT delivers output by an audio transducer typically held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.	Not Applicable	
402.3.2 Non-private Listening. Where ICT provides non- private listening, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. A function shall be provided to automatically reset the volume to the default level after every use.	Not Applicable	
402.4 Characters. At least one mode of characters displayed on the screen shall be in a sans serif font. Where ICT does not provide a screen enlargement feature, characters shall be 3/16 inch (4.8 mm) high minimum based on the uppercase letter "I". Characters shall contrast with their background with either light characters on a dark background or dark characters on a light background.	Not Applicable	
402.5 Characters on Variable Message Signs. Characters on variable message signs shall conform to section 703.7 Variable Message Signs of ICC A117.1-2009 (incorporated by reference, see 702.6.1).	Not Applicable	

### **403 Biometrics**

Criteria	Supporting Feature	Remarks and Explanations
<b>403.1 General.</b> Biometrics shall not be the only means for user identification or control.	Not Applicable	

### **404 Preservation of Information Provided for Accessibility**

Criteria	Supporting Feature	Remarks and Explanations
<b>404.1 General.</b> ICT that transmits or converts information or communication shall not remove non-proprietary information provided for accessibility or shall restore it upon delivery.	Not Applicable	

### **405 Privacy**

Criteria	Supporting Feature	Remarks and Explanations
<b>405.1 General.</b> The same degree of privacy of input and output shall be provided to all individuals. When speech output required by <u>402.2</u> is enabled, the screen shall not blank automatically.	Not Applicable	

#### **406 Standard Connections**

Criteria	<b>Supporting Feature</b>	Remarks and Explanations
<b>406.1 General.</b> Where data connections used for input and output are provided, at least one of each type of connection shall conform to industry standard non-proprietary formats.	Not Applicable	

### **407 Operable Parts**

**407.1 General.** Where provided, operable parts used in the normal operation of ICT shall conform to 407.

Criteria	Supporting Feature	Remarks and Explanations
<b>407.2 Contrast.</b> Where provided, keys and controls shall contrast visually from background surfaces. Characters and symbols shall contrast visually from background surfaces with either light characters or symbols on a dark background or dark characters or symbols on a light background.	Not Applicable	
<b>407.3 Input Controls.</b> At least one input control conforming to 407.3 shall be provided for each function.	See 407.3.1, 407.3.2, and 407.3.3.	

Criteria	Supporting Feature	Remarks and Explanations
<b>407.3.1 Tactilely Discernible.</b> Input controls shall be operable by touch and tactilely discernible without activation.	Not Applicable	
<b>407.3.2 Alphabetic Keys.</b> Where provided, individual alphabetic keys shall be arranged in a QWERTY-based keyboard layout and the "F" and "J" keys shall be tactilely distinct from the other keys.	Not Applicable	
407.3.3 Numeric Keys. Where provided, numeric keys shall be arranged in a 12-key ascending or descending keypad layout. The number five key shall be tactilely distinct from the other keys. Where the ICT provides an alphabetic overlay on numeric keys, the relationships between letters and digits shall conform to ITU-T Recommendation E.161 (incorporated by reference, see 702.7.1).	Not Applicable	
<b>407.4 Key Repeat.</b> Where a keyboard with key repeat is provided, the delay before the key repeat feature is activated shall be fixed at, or adjustable to, 2 seconds minimum.	Not Applicable	
<b>407.5 Timed Response.</b> Where a timed response is required, the user shall be alerted visually, as well as by touch or sound, and shall be given the opportunity to indicate that more time is needed.	Not Applicable	
<b>407.6 Operation.</b> At least one mode of operation shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate operable parts shall be 5 pounds (22.2 N) maximum.	Not Applicable	
407.7 Tickets, Fare Cards, and Keycards. Where tickets, fare cards, or keycards are provided, they shall have an orientation that is tactilely discernible if orientation is important	Not Applicable	

Criteria	Supporting Feature	Remarks and Explanations
to further use of the ticket, fare card, or keycard.		
407.8 Reach Height and Depth. At least one of each type of operable part of stationary ICT shall be at a height conforming to 407.8.2 or 407.8.3 according to its position established by the vertical reference plane specified in 407.8.1 for a side reach or a forward reach. Operable parts used with speech output required by 402.2 shall not be the only type of operable part complying with 407.8 unless that part is the only operable part of its type.	Not Applicable	
407.8.1 Vertical Reference Plane. Operable parts shall be positioned for a side reach or a forward reach determined with respect to a vertical reference plane. The vertical reference plane shall be located in conformance to 407.8.2 or 407.8.3.	Not Applicable	
<b>407.8.1.1 Vertical Plane for Side Reach.</b> Where a side reach is provided, the vertical reference plane shall be 48 inches (1220 mm) long minimum.	Not Applicable	
<b>407.8.1.2 Vertical Plane for Forward Reach.</b> Where a forward reach is provided, the vertical reference plane shall be 30 inches (760 mm) long minimum.	Not Applicable	
407.8.2 Side Reach. Operable parts of ICT providing a side reach shall conform to 407.8.2.1 or 407.8.2.2. The vertical reference plane shall be centered on the operable part and placed at the leading edge of the maximum protrusion of the ICT within the length of the vertical reference plane. Where a side reach requires a reach over a portion of the ICT, the height of that portion of the ICT shall be 34 inches (865 mm) maximum.	Not Applicable	

Criteria	Supporting Feature	Remarks and Explanations
407.8.2.1 Unobstructed Side Reach. Where the operable part is located 10 inches (255 mm) or less beyond the vertical reference plane, the operable part shall be 48 inches (1220 mm) high maximum and 15 inches (380 mm) high minimum above the floor.	Not Applicable	
407.8.2.2 Obstructed Side Reach. Where the operable part is located more than 10 inches (255 mm), but not more than 24 inches (610 mm), beyond the vertical reference plane, the height of the operable part shall be 46 inches (1170 mm) high maximum and 15 inches (380 mm) high minimum above the floor. The operable part shall not be located more than 24 inches (610 mm) beyond the vertical reference plane.	Not Applicable	
407.8.3 Forward Reach. Operable parts of ICT providing a forward reach shall conform to 407.8.3.1 or 407.8.3.2. The vertical reference plane shall be centered, and intersect with, the operable part. Where a forward reach allows a reach over a portion of the ICT, the height of that portion of the ICT shall be 34 inches (865 mm) maximum.	Not Applicable	
407.8.3.1 Unobstructed Forward Reach. Where the operable part is located at the leading edge of the maximum protrusion within the length of the vertical reference plane of the ICT, the operable part shall be 48 inches (1220 mm) high maximum and 15 inches (380 mm) high minimum above the floor.	Not Applicable	
407.8.3.2 Obstructed Forward Reach. Where the operable part is located beyond the leading edge of the maximum protrusion within the length of the vertical reference plane, the operable part shall conform to 407.8.3.2. The maximum allowable	Not Applicable	

Criteria	Supporting Feature	Remarks and Explanations
forward reach to an operable part shall be 25 inches (635 mm).		
407.8.3.2.1 Operable Part Height for ICT with Obstructed Forward Reach. The height of the operable part shall conform to Table 407.8.3.2.1.	Not Applicable	
407.8.3.2.2 Knee and Toe Space under ICT with Obstructed Forward Reach. Knee and toe space under ICT shall be 27 inches (685 mm) high minimum, 25 inches (635 mm) deep maximum, and 30 inches (760 mm) wide minimum and shall be clear of obstructions.	Not Applicable	

## **408 Display Screen**

**408.1 General.** Where provided, display screens shall conform to 408.

Criteria	Supporting Feature	Remarks and Explanations
<b>408.2 Visibility.</b> Where stationary ICT provides one or more display screens, at least one of each type of display screen shall be visible from a point located 40 inches (1015 mm) above the floor space where the display screen is viewed.	Not Applicable	
<b>408.3 Flashing</b> Where ICT emits lights in flashes, there shall be no more than three flashes in any onesecond period.	Not Applicable	

#### **409 Status Indicators**

Criteria	Supporting Feature	Remarks and Explanations
<b>409.1 General.</b> Where provided, status indicators shall be discernible visually and by touch or sound.	Not Applicable	

### **410 Color Coding**

Criteria	Supporting Feature	Remarks and Explanations
<b>410.1 General.</b> Where provided, color	Not Applicable	
coding shall not be used as the only		

Criteria	Supporting Feature	Remarks and Explanations
means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.		

## **411 Audible Signals**

Criteria	<b>Supporting Feature</b>	Remarks and Explanations
<b>411.1 General.</b> Where provided, audible signals or cues shall not be used as the only means of conveying information, indicating an action, or prompting a response.	Not Applicable	

# **412 ICT with Two-Way Voice Communication**

**412.1 General.** ICT that provides two-way voice communication shall conform to 412.

Criteria	Supporting Feature	Remarks and Explanations
<b>412.2 Volume Gain.</b> ICT that provides two-way voice communication shall conform to 412.2.1 or 412.2.2.	See 412.2.2	
412.2.1 Volume Gain for Wireline Telephones. Volume gain conforming to 47 CFR 68.317 shall be provided on analog and digital wireline telephones.	Not Applicable	
<b>412.2.2 Volume Gain for Non-Wireline ICT.</b> A method for increasing volume shall be provided for non-wireline ICT.	Not Applicable	
412.3 Interference Reduction and Magnetic Coupling. Where ICT delivers output by a handset or other type of audio transducer that is typically held up to the ear, ICT shall reduce interference with hearing technologies and provide a means for effective magnetic wireless coupling in conformance with 412.3.1 or 412.3.2.	See 412.3.1.	
412.3.1 Wireless Handsets. ICT in the form of wireless handsets shall conform to ANSI/IEEE C63.19-2011	Not Applicable	

Criteria	Supporting Feature	Remarks and Explanations
(incorporated by reference, see 702.5.1).		
<b>412.3.2 Wireline Handsets.</b> ICT in the form of wireline handsets, including cordless handsets, shall conform to TIA-1083-B (incorporated by reference, see702.9.1).	Not Applicable	
412.4 Digital Encoding of Speech. ICT in IP-based networks shall transmit and receive speech that is digitally encoded in the manner specified by ITU-T Recommendation G.722.2 (incorporated by reference, see 702.7.2) or IETF RFC 6716 (incorporated by reference, see 702.8.1).	Not Applicable	
412.5 Real-Time Text Functionality. Reserved.	Not Applicable	
<b>412.6 Caller ID.</b> Where provided, caller identification and similar telecommunications functions shall be visible and audible.	Not Applicable	
<b>412.7 Video Communication.</b> Where ICT provides real-time video functionality, the quality of the video shall be sufficient to support communication using sign language.	Not Applicable	

### **413 Closed Caption Processing Technologies**

**413.1 General.** Where ICT displays or processes video with synchronized audio, ICT shall provide closed caption processing technology that conforms to 413.1.1 or 413.1.2.

Criteria	Supporting Feature	Remarks and Explanations
<b>413.1.1 Decoding and Display of Closed Captions.</b> Players and displays shall decode closed caption data and support display of captions.	Not Applicable	
413.1.2 Pass-Through of Closed Caption Data. Cabling and ancillary equipment shall pass through caption data.	Not Applicable	

**414.1 General.** Where ICT displays or processes video with synchronized audio, ICT shall provide audio description processing technology conforming to 414.1.1 or 414.1.2.

Criteria	Supporting Feature	Remarks and Explanations
A14.1.1 Digital Television Tuners.  Digital television tuners shall provide audio description processing that conforms to ATSC A/53 Digital Television Standard, Part 5 (2014) (incorporated by reference, see 702.2.1). Digital television tuners shall provide processing of audio description when encoded as a Visually Impaired (VI) associated audio service that is provided as a complete program mix containing audio description according to the ATSC A/53 standard.	Not Applicable	
<b>414.1.2 Other ICT.</b> ICT other than digital television tuners shall provide audio description processing.	Not Applicable	

### **415 User Controls for Captions and Audio Descriptions**

**415.1 General.** Where ICT displays video with synchronized audio, ICT shall provide user controls for closed captions and audio descriptions conforming to 415.1.

Criteria	Supporting Feature	Remarks and Explanations
<b>415.1.1 Caption Controls.</b> Where ICT provides operable parts for volume control, ICT shall also provide operable parts for caption selection.	Not Applicable	
<b>415.1.2 Audio Description</b> Controls. Where ICT provides operable parts for program selection, ICT shall also provide operable parts for the selection of audio description.	Not Applicable	

#### **Chapter 5 Software**

#### 501 General

**501.1 Scope.** The requirements of Chapter 5 shall apply to software where required by <u>508 Chapter 2 (Scoping Requirements)</u>, 255 Chapter 2 (Scoping Requirements), and where otherwise referenced in any other chapter of the Revised 508 Standards or Revised 255 Guidelines.

EXCEPTION: Where Web applications do not have access to platform accessibility services and do not include components that have access to platform accessibility services, they shall not be required to conform to 502 or 503 provided that they conform to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1).

### **502 Interoperability with Assistive Technology**

**502.1 General.** Software shall interoperate with assistive technology and shall conform to 502.

**502.2 Documented Accessibility Features.** Software with platform features defined in platform documentation as accessibility features shall conform to 502.2.

Criteria	Supporting Feature	Remarks and Explanations
<b>502.2.1 User Control of Accessibility Features.</b> Platform software shall provide user control over platform features that are defined in the platform documentation as accessibility features.	Not Applicable	
502.2.2 No Disruption of Accessibility Features. Software shall not disrupt platform features that are defined in the platform documentation as accessibility features.	Supported	
502.3 Accessibility Services.  Platform software and software tools that are provided by the platform developer shall provide a documented set of accessibility services that support applications running on the platform to interoperate with assistive technology and shall conform to 502.3. Applications that are also platforms shall expose the underlying platform accessibility services or implement other documented accessibility services.	Not Applicable	
<b>502.3.1 Object Information.</b> The object role, state(s), properties, boundary, name, and description shall be programmatically determinable.	Supported With Exceptions	Testing has shown that most menus, checkboxes, toolbars, buttons, etc. are available to assistive technology, but the following exceptions have been noted:  • Under Users -> Find, the screen reader reads only the first column of the search results.  • After running an Audit Log report, the screen reader reads only the first column of the report.
502.3.2 Modification of Object Information. States and properties	Supported	

Criteria	Supporting Feature	Remarks and Explanations
that can be set by the user shall be capable of being set programmatically, including through assistive technology.		
502.3.3 Row, Column, and Headers. If an object is in a data table, the occupied rows and columns, and any headers associated with those rows or columns, shall be programmatically determinable.	Supported	
<b>502.3.4 Values.</b> Any current value(s), and any set or range of allowable values associated with an object, shall be programmatically determinable.	Supported	
<b>502.3.5 Modification of Values.</b> Values that can be set by the user shall be capable of being set programmatically, including through assistive technology.	Supported	
<b>502.3.6 Label Relationships.</b> Any relationship that a component has as a label for another component, or of being labeled by another component, shall be programmatically determinable.	Supported	
502.3.7 Hierarchical Relationships. Any hierarchical (parent-child) relationship that a component has as a container for, or being contained by, another component shall be programmatically determinable.	Supported	
<b>502.3.8 Text.</b> The content of text objects, text attributes, and the boundary of text rendered to the screen, shall be programmatically determinable.	Supported	
<b>502.3.9 Modification of Text.</b> Text that can be set by the user shall be capable of being set programmatically, including through assistive technology.	Supported	
<b>502.3.10 List of Actions.</b> A list of all actions that can be executed on an	Supported	

Criteria	Supporting Feature	Remarks and Explanations
object shall be programmatically determinable.		
502.3.11 Actions on Objects. Applications shall allow assistive technology to programmatically execute available actions on objects.	Supported	
<b>502.3.12 Focus Cursor.</b> Applications shall expose information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components.	Supported	
<b>502.3.13 Modification of Focus Cursor.</b> Focus, text insertion point, and selection attributes that can be set by the user shall be capable of being set programmatically, including through the use of assistive technology.	Supported	
502.3.14 Event Notification.  Notification of events relevant to user interactions, including but not limited to, changes in the component's state(s), value, name, description, or boundary, shall be available to assistive technology.	Supported	
502.4 Platform Accessibility Features. Platforms and platform software shall conform to the requirements in ANSI/HFES 200.2, Human Factors Engineering of Software User Interfaces — Part 2: Accessibility (2008) (incorporated by reference, see 702.4.1).	Not Applicable	

# **503 Applications**

**503.1 General.** Applications shall conform to 503.

Criteria	<b>Supporting Feature</b>	Remarks and Explanations
<b>503.2 User Preferences.</b> Applications	Not Applicable	
shall permit user preferences from		
platform settings for color, contrast,		
font type, font size, and focus cursor.		

Criteria	Supporting Feature	Remarks and Explanations
503.3 Alternative User Interfaces. Where an application provides an alternative user interface that functions as assistive technology, the application shall use platform and other industry standard accessibility services.	Supported	
503.4 User Controls for Captions and Audio Description. Where ICT displays video with synchronized audio, ICT shall provide user controls for closed captions and audio descriptions conforming to 503.4.	See 503.4.1 and 503.4.2.	
503.4.1 Caption Controls. Where user controls are provided for volume adjustment, ICT shall provide user controls for the selection of captions at the same menu level as the user controls for volume or program selection.	Not Applicable	
503.4.2 Audio Description Controls. Where user controls are provided for program selection, ICT shall provide user controls for the selection of audio descriptions at the same menu level as the user controls for volume or program selection.	Not Applicable	

## **504 Authoring Tools**

**504.1 General.** Where an application is an authoring tool, the application shall conform to 504 to the extent that information required for accessibility is supported by the destination format.

Criteria	Supporting Feature	Remarks and Explanations
504.2 Content Creation or Editing. Authoring tools shall provide a mode of operation to create or edit content that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) for all supported features and, as applicable, to file formats supported by the authoring tool. Authoring tools shall permit authors	Not Applicable	

Criteria	Supporting Feature	Remarks and Explanations
the option of overriding information required for accessibility.		
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion. Authoring tools shall, when converting content from one format to another or saving content in multiple formats, preserve the information required for accessibility to the extent that the information is supported by the destination format.	Not Applicable	
<b>504.2.2 PDF Export.</b> Authoring tools capable of exporting PDF files that conform to ISO 32000-1:2008 (PDF 1.7) shall also be capable of exporting PDF files that conform to ANSI/AIIM/ISO 14289-1:2016 (PDF/UA-1) (incorporated by reference, see 702.3.1).	Not Applicable	
provide a mode of operation that prompts authors to create content that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) for supported features and, as applicable, to file formats supported by the authoring tool.	Not Applicable	
504.4 Templates. Where templates are provided, templates allowing content creation that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) shall be provided for a range of template uses for supported features and, as applicable, to file formats supported by the authoring tool.	Not Applicable	

### **Chapter 6 Support Documentation and Services**

### **602 Support Documentation**

**602.1 General.** Documentation that supports the use of ICT shall conform to 602.

Criteria	Supporting Feature	Remarks and Explanations
602.2 Accessibility and Compatibility Features. Documentation shall list and explain how to use the accessibility and compatibility features required by Chapters 4 and 5. Documentation shall include accessibility features that are built-in and accessibility features that provide compatibility with assistive technology.	Supported	
602.3 Electronic Support Documentation. Documentation in electronic format, including Webbased self-service support, shall conform to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1).	Supported	
602.4 Alternate Formats for Non-Electronic Support Documentation. Where support documentation is only provided in non-electronic formats, alternate formats usable by individuals with disabilities shall be provided upon request.	Supported	

## **603 Support Services**

**603.1 General.** ICT support services including, but not limited to, help desks, call centers, training services, and automated self-service technical support, shall conform to 603.

Criteria	Supporting Feature	Remarks and Explanations
603.2 Information on Accessibility and Compatibility Features. ICT support services shall include information on the accessibility and compatibility features required by 602.2.	Supported	
603.3 Accommodation of Communication Needs. Support services shall be provided directly to the user or through a referral to a point of contact. Such ICT support services shall accommodate the	Supported	

Criteria	Supporting Feature	Remarks and Explanations
communication needs of individuals with disabilities.		

#### **Disclaimer**

© 2022 Entrust Corporation. All rights reserved. The names of actual companies and products mentioned herein may be the trademarks of their respective owners. The information contained in this document represents the current view of Entrust Corporation on the issues discussed as of the date of publication. Entrust cannot guarantee the accuracy of any information presented after the date of publication. Entrust regularly updates its websites with new information about the accessibility of products as that information becomes available.

Customization of the product voids this conformance statement from Entrust. Customers may make independent conformance statements if they have conducted due diligence to meet all relevant requirements for their customization.

This document is for informational purposes only. ENTRUST MAKES NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS DOCUMENT.